

Roller blind textiles - standard collection | Roller blind fabrics - regular collection

Nazwa Name	Kolor Colour	Kod Code	Grupa cenowa Price group	Certyfikat niepalności prod. Producer's FR certificate	Polski certyfikat niepalności Polish FR certificate	Certyfikat higieniczny Hygienics certificate	Szerokość Width [cm]	Skład Composition	Gramatura Weight [g/m²]	Grubość Thickness [mm]	Trwałość koloru Light fastness	A _{light}	T _{light}	R _{light}	A _{solar}	T _{solar}	R _{solar}	G _{tot}	F _c value	Class G _{tot}	!	O	
Berlin	formula one	0100-6400	0	-	-	-	200	PES	210	0,30	4-6	57	10	33	-	-	-	-	-	-	-		
Berlin	pepper	0100-1100	0	-	-	-	200	PES	210	0,30	4-6	75	7	18	-	-	-	-	-	-	-		
Berlin	fuchsia	0100-0836	0	-	-	-	200	PES	210	0,30	4-6	68	13	19	-	-	-	-	-	-	-		
Berlin	cristal rose	0100-0910	0	-	-	-	200	PES	210	0,30	4-6	33	12	55	-	-	-	-	-	-	-		
Berlin	lime	0100-6430	0	-	-	-	200	PES	210	0,30	4-6	53	12	35	-	-	-	-	-	-	-		
Berlin	blue coral	0100-0922	0	-	-	-	200	PES	210	0,30	4-6	-	-	-	-	-	-	-	-	-	-		
Berlin	true blue	0100-0950	0	-	-	-	200	PES	210	0,30	4-6	74	9	17	-	-	-	-	-	-	-		
Berlin	riviera	0100-0900	0	-	-	-	200	PES	210	0,30	4-6	60	12	28	-	-	-	-	-	-	-		
Berlin	air blue	0100-0930	0	-	-	-	200	PES	210	0,30	4-6	49	14	37	-	-	-	-	-	-	-		
Berlin	black	0100-1320	0	-	-	-	200	PES	210	0,30	4-6	96	3	1	-	-	-	-	-	-	-		
Berlin	grey	0100-1300	0	-	-	-	200	PES	210	0,30	4-6	66	9	25	-	-	-	-	-	-	-		
Berlin	limestone	0100-0610	0	-	-	-	200 280	PES	210	0,30	4-6	46	14	40	-	-	-	-	-	-	-		
Berlin	metal	0100-0600	0	-	-	-	200 280	PES	210	0,30	4-6	36	17	47	-	-	-	-	-	-	-		
Berlin	cappuccino	0100-0825	0	-	-	-	200	PES	210	0,30	4-6	74	7	19	-	-	-	-	-	-	-		
Berlin	mocha	0100-0824	0	-	-	-	200	PES	210	0,30	4-6	69	8	23	-	-	-	-	-	-	-		
Berlin	bran	0100-0820	0	-	-	-	200	PES	210	0,30	4-6	61	10	29	-	-	-	-	-	-	-		
Berlin	peach	0100-0500	0	-	-	-	200 280	PES	210	0,30	4-6	45	11	44	-	-	-	-	-	-	-		
Berlin	twill	0100-0540	0	-	-	-	200	PES	210	0,30	4-6	40	15	45	-	-	-	-	-	-	-		
Berlin	gardenia	0100-0200	0	-	-	-	200	PES	210	0,30	4-6	29	13	58	-	-	-	-	-	-	-		
Berlin	snow white	0100-0120	0	-	-	-	200 280	PES	210	0,30	4-6	26	12	62	-	-	-	-	-	-	-		
Carina	off white	40570-4905	0	-	-	Oeko-Tex 100	200	PES	180	0,38	5-6	2	26	72	12	26	62	0,37	0,63	1			
Carina	vanilla	40570-4996	0	-	-		200	PES	180	0,38	5-6	10	19	71	17	22	61	0,37	0,63	1			
Carina	ivory	40570-4995	0	-	-		200	PES	180	0,38	5-6	14	18	68	28	17	55	0,39	0,66	1			
Carina	camel	40570-6862	0	-	-		200	PES	180	0,38	5-6	48	6	46	23	12	65	0,36	0,60	1			
Carina	sand	40570-4999	0	-	-		200	PES	180	0,38	5-6	44	9	47	40	15	45	0,42	0,71	1			
Carina	cinnamon	40570-4984	0	-	-		200	PES	180	0,38	5-6	69	1	30	40	15	45	0,42	0,71	1			
Carina	coffee bean	40570-5005	0	-	-		200	PES	180	0,38	5-6	85	1	14	82	2	16	0,50	0,85	0			
Carina	pepper	40570-4993	0	-	-		200	PES	180	0,38	5-6	79	1	20	81	2	17	0,50	0,85	0			
Carina	light grey	40570-4934	0	-	-		200	PES	180	0,38	5-6	44	7	49	40	14	46	0,42	0,70	1			
Carina	butter	40570-4932	0	-	-		200	PES	180	0,38	5-6	9	15	76	16	18	66	0,35	0,60	1			
Carina	corn	40570-5723	0	-	-		200	PES	180	0,38	5-6	23	12	65	16	19	65	0,36	0,61	1			
Carina	yellow ochre	40570-4966	0	-	-		200	PES	180	0,38	5-6	52	8	40	40	18	42	0,43	0,73	1			
Carina	pink	40570-4962	0	-	-		200	PES	180	0,38	5-6	83	1	16	44	14	42	0,43	0,72	1			
Carina	blue	40570-4935	0	-	-		200	PES	180	0,38	5-6							0,59	1,00	0			
Carina	yellow green	40570-6797	0	-	-		200	PES	180	0,38	5-6	49	8	43	16	19	65	0,36	0,61	1			
Carina	fresh green	40570-4979	0	-	-		200	PES	180	0,38	5-6	47	6	47	36	16	48	0,41	0,69	1			
Munchen	white	0300-0100	0	-	-	PZH	200 300	PES	171	0,33	6-7	8	12	80	-	-	-	-	-	-	-		
Munchen	oyster grey	0300-2700	0	-	-		200	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	limestone	0300-1002	0	-	-		200 300	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	grey	0300-0301	0	-	-		200 300	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	clay	0300-4601	0	-	-		200 300	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	dark shadow	0300-4301	0	-	-		200 300	PES	171	0,33	6-7	82	3	15	-	-	-	-	-	-	-	-	
Munchen	black	0300-0800	0	-	-		200	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	cream	0300-0200	0	-	-		200 300	PES	171	0,33	6-7	20	9	71	-	-	-	-	-	-	-	-	
Munchen	pastel yellow	0300-0400	0	-	-		200	PES	171	0,33	6-7	31	7	62	-	-	-	-	-	-	-	-	
Munchen	bleached sand	0300-0401	0	-	-		200	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	moth	0300-4400	0	-	-		200 300	PES	171	0,33	6-7	16	0	84	-	-	-	-	-	-	-	-	
Munchen	moon rock	0300-2802	0	-	-		200	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	iron	0300-2803	0	-	-		200	PES	171	0,33	6-7				-	-	-	-	-	-	-	-	
Munchen	black coffee	0300-2401	0	-	-		200	PES	171	0,33	6-7	59	11	30	-	-	-	-	-	-	-	-	
Dione	grey	9192	B	-	-	Oeko-Tex 100	200 300	PES	171	0,33	6-7	95	1	4	93	4	3	0,45	0,70	1			
Dione	iron	9197	B	-	-		200 300	PES	210	0,45	6-7	87	5	8	81	11	8	0,45	0,70	1			
Dione	silver	9193	B	-	-		200 300	PES	210	0,45	6-7	64	9	27	61	13	26	0,45	0,70	1			
Dione	sand	2323	B	-	-		200 300	PES	210	0,45	6-7	46	12	42	45	15	40	0,45	0,70	1			
Dione	fleece	2141	B	-	-		200 300	PES	210	0,45	6-7	18	14	68	16	17	67	0,45	0,70	1			
Dione	nature white	1039	B	-	-		200 300	PES	210	0,45	6-7	8	15	77	7	18	75	0,45	0,70	1			

Nazwa Name	Kolor Colour	Kod Code	Grupa cenowa Price group	Certyfikat niepalności prod. Producer's FR certificate	Polski certyfikat niepalności Polish FR certificate	Certyfikat higieniczny Hygienics certificate	Szerokość Width [cm]	Skład Composition	Gramatura Weight [g/m²]	Grubość Thickness [mm]	Trwałość koloru Light fastness	A _{light} [%]	T _{light} [%]	R _{light} [%]	A _{solar} [%]	T _{solar} [%]	R _{solar} [%]	G _{tot}	F _c value	Class G _{tot}	!	OF
Berlin BO	black	0101-6320	B	-	-	PZH	200	PES	355	0,45	4-6	97	0	3	-	-	-	-	-	-		
Berlin BO	raven	0101-5919	B	-	-		200	PES	355	0,45	4-6	55	0	45	-	-	-	-	-	-		
Berlin BO	limestone	0101-5610	B	-	-		200 280	PES	355	0,45	4-6	31	0	69	-	-	-	-	-	-		
Berlin BO	metal	0101-5600	B	-	-		200 280	PES	355	0,45	4-6	64	0	36	-	-	-	-	-	-		
Berlin BO	pepper	0101-6100	B	-	-		200	PES	355	0,45	4-6	78	0	22	-	-	-	-	-	-		
Berlin BO	rust	0101-6200	B	-	-		200	PES	355	0,45	4-6	82	0	18	-	-	-	-	-	-		
Berlin BO	riviera	0101-5900	B	-	-		200	PES	355	0,45	4-6	73	0	27	-	-	-	-	-	-		
Berlin BO	lime	0101-7430	B	-	-		200	PES	355	0,45	4-6	77	0	23	-	-	-	-	-	-		
Berlin BO	mimosa	0101-5800	B	-	-		200	PES	355	0,45	4-6	49	0	51	-	-	-	-	-	-		
Berlin BO	sunlight	0101-5700	B	-	-		200	PES	355	0,45	4-6	45	0	55	-	-	-	-	-	-		
Berlin BO	cappuccino	0101-5825	B	-	-		200	PES	355	0,45	4-6	79	0	21	-	-	-	-	-	-		
Berlin BO	bran	0101-5820	B	-	-		200	PES	355	0,45	4-6	62	0	38	-	-	-	-	-	-		
Berlin BO	twill	0101-5540	B	-	-		200	PES	355	0,45	4-6	32	0	68	-	-	-	-	-	-		
Berlin BO	peach	0101-5500	B	-	-		200 280	PES	355	0,45	4-6	46	0	54	-	-	-	-	-	-		
Berlin BO	gardenia	0101-5200	B	-	-		200	PES	355	0,45	4-6	20	0	80	-	-	-	-	-	-		
Berlin BO	snow white	0101-5120	B	-	-		200 280	PES	355	0,45	4-6	18	0	82	-	-	-	-	-	-		
Munchen BO	white	0301-6200	B	-	-	PZH	200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	ecru	0301-6100	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	bleached sand	0301-5401	B	-	-		200	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	moth	0301-6400	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	camel	0301-6000	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	limestone	0301-5001	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	grey	0301-5300	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	dark shadow	0301-6301	B	-	-		200 300	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	black coffee	0301-7401	B	-	-		200	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Munchen BO	anthracite	0301-5100	B	-	-		200	PES	305	0,46	6-7	16	0	84	-	-	-	-	-	-		
Madagaskar ALU BO	cement	MGR-054	A	-	-	PZH	250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Madagaskar ALU BO	latte	MGR-053	A	-	-		250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Madagaskar ALU BO	linen	MGR-052	A	-	-		250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Madagaskar ALU BO	sand	MGR-057	A	-	-		250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Madagaskar ALU BO	vanilla	MGR-056	A	-	-		250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Madagaskar ALU BO	white	MGR-051	A	-	-		250	PES	220	0,36	5-6	-	0	-	-	-	-	-	-	-		
Carina BO ALU	black	401010-7917	D	-	-	Oeko-Tex 100	200	PES	245-275	0,42	6-7	42	0	58	45	0	55	0,38	0,65	1		
Carina BO ALU	pepper	401010-4993	D	-	-		200	PES	245-275	0,42	6-7	42	0	58	42	0	58	0,37	0,63	1		
Carina BO ALU	light grey	401010-4934	D	-	-		200	PES	245-275	0,42	6-7	43	0	57	42	0	58	0,37	0,63	1		
Carina BO ALU	sand	401010-4999	D	-	-		200	PES	245-275	0,42	6-7	41	0	59	41	0	59	0,37	0,63	1		
Carina BO ALU	cream	401010-4959	D	-	-		200	PES	245-275	0,42	6-7	42	0	58	42	0	58	0,37	0,63	1		
Carina BO ALU	off white	401010-7943	D	-	-		200	PES	245-275	0,42	6-7	40	0	60	15	0	85	0,29	0,49	2		
Munchen Pearl	white	0302-0100	B	-	-	Oeko-Tex 100	200	PES	212	0,34	6-7	9	8	83	-	-	-	-	-	-		
Munchen Pearl	eggshell	0302-0300	B	-	-		200	PES	212	0,34	6-7	17	6	77	-	-	-	-	-	-		
Munchen Pearl	dune	0302-0500	B	-	-		200	PES	212	0,34	6-7	27	3	70	-	-	-	-	-	-		
Munchen Pearl	concrete	0302-0400	B	-	-		200	PES	212	0,34	6-7	25	4	71	-	-	-	-	-	-		
Munchen Pearl	grey	0302-1000	B	-	-		200	PES	212	0,34	6-7	27	5	68	-	-	-	-	-	-		
Munchen Pearl	graphit	0302-0600	B	-	-		200	PES	212	0,34	6-7	44	0	56	-	-	-	-	-	-		
Metallic	navy	40768-7301	B	-	-	Oeko-Tex 100	200	PES	180	0,38	5-6	88	0	12	89	0	11	0,52	0,88	0		
Metallic	metal	40768-10541	B	-	-		200	PES	180	0,38	5-6	56	2	42	58	4	38	0,44	0,74	1		
Metallic	brown	40768-7279	B	-	-	-	200	PES	180	0,38	5-6	84	0	16	85	0	15	0,51	0,86	0		
Metallic	gold	40768-7297	B	-	-	-	200	PES	180	0,38	5-6	45	3	52	44	8	48	0,41	0,69	1		
Metallic	titan	40768-7880	B	-	-	-	200	PES	180	0,38	5-6	39	4	57	40	8	52	0,39	0,67	1		
Metallic	salmon	40768-7849	B	-	-	Oeko-Tex 100	200	PES	180	0,38	5-6	22	10	68	16	19	65	0,36	0,61	1		
Metallic	beige	40768-7854	B	-	-	-	200	PES	180	0,38	5-6	18	11	71	18	17	65	0,36	0,61	1		
Metallic	cream	40768-7296	B	-	-	-	200	PES	180	0,38	5-6	7	15	78	9	20	71	0,34	0,58	2		
Metallic	white	40768-10540	B	-	-	Oeko-Tex 100	200	PES	180	0,38	5-6	0	18	82	3	21	76	0,32	0,55	2		
Metallic BO	silver	40829-7260	E	-	-	Oeko-Tex 100	240	PES	340	0,45	6-7	20	0	80	33	0	67	0,34	0,58	2		
Metallic BO	beige	40829-7854	E	-	-		240	PES	340	0,45	6-7	20	0	80	32	0	68	0,34	0,58	2		
Metallic BO	cream	40829-7296	E	-	-		240	PES	340	0,45	6-7	20	0	80	31	0	69	0,34	0,58	2		
Cinema Screen BO		CS-001	B	-	-	-	290	PES	272	0,26	-	11	0	89	24	0	76	0,32	0,54	2	!	
Lino BO	grey	46010-25	E	-	-	Oeko-Tex 100	240	PES	320	0,45	-	15	0	85	27	0	73	0,33	0,55	2		
Lino BO	beige	46010-20	E	-	-		240	PES	320	0,45	-	20	0	80	31	0	69	0,34	0,57	2		
Lino BO	cream	46010-27	E	-	-		240	PES	320	0,45	-	17	0	83	29	0	71	0,33	0,56	2		
Juno Pearl	white	1069	D	-	-	-	230	Polyester	170	0,40	5-6	19	13	68	22	16	62	37	63	1		
Juno Pearl	light grey	9154	D	-	-	-	230	Polyester	170	0,40	5-6	34	12	54	32	16	52	40	68	1		
Juno Pearl	mid grey	9155	D	-	-	-	230	Polyester	170	0,40	5-6	49	9	42	47	14	39	44	75	1		
Juno Pearl	slate	9125	D	-	-	-	230	Polyester	170	0,40	5-6	72	9	19	69	13	18	51	87	0		

Nazwa Name	Kolor Colour	Kod Code	Grupa cenowa Price group	Certyfikat niepalności prod. Producer's FR certificate	Polski certyfikat niepalności Polish FR certificate	Certyfikat higieniczny Hygienics certificate	Szerokość Width [cm]	Skład Composition	Gramatura Weight [g/m²]	Grubość Thickness [mm]	Trwałość koloru Light fastness	A _{light} [%]	T _{light} [%]	R _{light} [%]	A _{solar} [%]	T _{solar} [%]	R _{solar} [%]	G _{int} 	F _c value	Class G _{int}	!	OF
Juno Pearl	sand	2275	D	-	-	-	230	Polyester	170	0,40	5-6	28	9	63	33	12	55	39	66	1		
Juno Pearl	brown	2276	D	-	-	-	230	Polyester	170	0,40	5-6	51	11	38	50	14	36	45	77	1		
Juno Pearl	nut	2294	D	-	-	-	230	Polyester	170	0,40	5-6	69	8	23	68	13	19	51	86	0		
Juno Pearl	chocolate	2295	D	-	-	-	230	Polyester	170	0,40	5-6	60	7	33	62	11	27	48	82	1		
Vermicelli	white	49523-1	C	-	-	Oeko-Tex 100	195	PES	155	0,25	5-6	0	37	63	0	37	63	0,37	0,63	1		
Shells	white	152152-0110	E	-	-	-	280	PES	200	0,50	4	7	26	67	-	-	-	-	-	-		
Chic	grey	420647-4	D	-	-	Oeko-Tex 100	240	PES	210	0,43	5-6	28	32	40	25	34	41	0,44	0,74	1		
Chic	white	420647-1	D	-	-		240	PES	210	0,43	5-6	0	44	56	1	44	55	0,40	0,67	1		
Chic	blue	420647-2	D	-	-		240	PES	210	0,43	5-6	90	1	9	83	4	13	0,51	0,87	0		
Sahara	beige	SH-842	0	-	-	-	200	80% PES; 20% LI	165	0,38	-	-	41-48	-	-	-	-	-	-	-		
Sahara	grey	SH-844	0	-	-	-	200		165	0,38	-	-	31	-	-	-	-	-	-	-		
Madagaskar Alu BO	beige	MGR-063	A	-	-	-	250	80% PES; 20% LI	220	0,36	-	-	0	-	-	-	-	-	-	-		
Madagaskar Alu BO	grey	MGR-064	A	-	-	-	250		220	0,36	-	-	0	-	-	-	-	-	-	-		
Vathi	grey	243156-1170	D	-	-	Oeko-Tex 100	240	PES	115	0,19	-	18	49	33	13	52	35		79	-		
Vathi	beige	243156-0256	D	-	-		240	PES	115	0,19	-	3	56	41	6	55	39		77	-		
Vathi	white	243156-0204	D	-	-		240	PES	115	0,19	-	5	55	40	8	54	38		77	-		
Tropico	white	420685-1	D	-	-	Oeko-Tex 100	240	PES	120	0,25	5-6	-	-	-	-	-	-	-	-	-		
Rialto	grey	420571-2	E	-	-	-	240	PES	145	0,43	5-6	46	29	25	43	30	27	0,48	0,81	1		
Chatsworth	white	1602-490	D	-	-	-	200	100% PES	190	0,32	6+	0	57	43	2	57	41	45	76	1		
Kimono	white	150301-3100	F	-	-	-	280	PES	235	0,40	4	9	6	85	-	-	-	-	-	-		
Kimono	grey	150301-3300	F	-	-	-	280	PES	235	0,40	4	-	-	-	-	-	-	-	-	-		
Garden		420615-1	D	-	-	Oeko-Tex 100	240	PES	160	0,28	5-6	0	44	56	3	44	53	0,40	0,69	1		
Origami BO		420652-1	F	-	-	Oeko-Tex 100	240	PES	320	0,45	6	16	0	84	27	0	73	0,33	0,55	2		
Safari BO		420651-1	F	-	-	Oeko-Tex 100	240	PES	320	0,45	6	15	0	85	26	0	74	0,32	0,55	2		
Good Night BO		01	G	-	-	-	205	PES	420	0,40	6+	18	0	82	32	0	68	0,34	0,58	2		
Starlet FR	black	5832	B	DIN 4102-B1 M1 C1 NFPA 701	PN-EN ISO 6940:2005 6941:2005	Oeko-Tex 100	240 310	PES	215	0,35	5-6	95	0	5	94	0	6	0,53	0,91	0		
Starlet FR	navy	7628	B				240	PES	215	0,35	5-6	93	0	7	89	0	11	0,52	0,88	0		
Starlet FR	shadow	6625	B				240 310	PES	215	0,35	5-6	79	0	21	81	0	19	0,49	0,84	0		
Starlet FR	grey	5770	B				240 310	PES	215	0,35	5-6	59	2	39	59	3	38	0,44	0,74	1		
Starlet FR	mist	5108	B				240 310	PES	215	0,35	5-6	52	4	44	55	11	34	0,45	0,77	1		
Starlet FR	brown	7616	B				240	PES	215	0,35	5-6	79	0	21	79	0	21	0,49	0,83	1		
Starlet FR	moth	10331	B				240 310	PES	215	0,35	5-6	58	3	39	58	5	37	0,44	0,75	1		
Starlet FR	beige	4899	B				240 310	PES	215	0,35	5-6	25	9	66	24	13	63	0,36	0,61	1		
Starlet FR	cream	6117	B				240 310	PES	215	0,35	5-6	7	14	79	14	15	71	0,34	0,57	2		
Starlet FR	white	4898	B				240 310	PES	215	0,35	5-6	1	15	84	7	17	76	0,32	0,55	2		
Starlet BO FR	black	5832	E	DIN 4102-B1 C1 NFPA 701	PN-EN ISO 6940:2005 6941:2005	Oeko-Tex 100	240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	navy	7628	E				240	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	shadow	6625	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	grey	5770	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	mist	5108	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	moth	10331	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	beige	4899	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	cream	6117	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO FR	white	4898	E				240 310	PES	365	0,40	5-6	20	0	80	33	0	67	0,34	0,58	2		
Starlet BO Color FR	black	40985-5832	E	DIN 4102-B1 M1	-	Oeko-Tex 100	240 305	PES	310	0,42	5-6	94	0	6	94	0	6	0,64	0,91	0		
Starlet BO Color FR	shadow	40985-6625	E		-		240 305	PES	310	0,42	5-6	81	0	19	83	0	17	0,59	0,84	0		
Starlet BO Color FR	grey	40985-5770	E		-		240 305	PES	310	0,42	5-6	94	0	6	94	0	6	0,64	0,91	0		
Starlet BO Color FR	mist	40985-5108	E		-		240 305	PES	310	0,42	5-6	44	0	56	51	0	49	0,44	0,63	1		
Starlet BO Color FR	brown	40985-7616	E		-		240	PES	310	0,42	5-6	81	0	19	83	0	17	0,59	0,84	0		
Starlet BO Color FR	moth	40985-10331	E		-		240 305	PES	310	0,42	5-6	50	0	50	56	0	44	0,46	0,66	1		
Starlet BO Color FR	beige	40985-4899	E		-		240 305	PES	310	0,42	5-6	44	0	56	51	0	49	0,44	0,63	1		
Starlet BO Color FR	cream	40985-6117	E		-		240 305	PES	310	0,42	5-6	20	0	80	30	0	70	0,35	0,49	1		
Starlet BO Color FR	white	40985-4898	E		-		240 305	PES	310	0,42	5-6	20	0	80	33	0	67	0,36	0,51	1		
Starflex FR	shadow	40822-6625	D	DIN 4102-B1	-	Oeko-Tex 100	240	PES	260	0,40	6	14	0	86	22	1	77	0,31	0,53	2		
Starflex FR	grey	40822-5770	D		-		240	PES	260	0,40	6	14	3	83	19	5	76	0,32	0,54	2		
Starflex FR	mist	40822-5108	D		-		240	PES	260	0,40	6	13	2	85	20	3	77	0,31	0,53	2		
Starflex FR	brown	40822-7616	D		-		240	PES	260	0,40	6	15	0	85	19	4	77	0,31	0,53	2		
Starflex FR	moth	40822-10331	D		-		240	PES	260	0,40	6	13	2	85	19	4	77	0,31	0,53	2		
Starflex FR	beige	40822-4899	D		-		240	PES	260	0,40	6	10	4	86	16	6	78	0,31	0,53	2		
Starflex FR	cream	40822-6117	D		-		240	PES	260	0,40	6	13	5	82	18	7	75	0,32	0,55	2		
Starflex FR	white	40822-4898	D		-		240	PES	260	0,40	6	11	5	84	17	7	76	0,32	0,54	2		
Apollo Medi Care FR	metal	40797-5770	E	DIN 4102-B1 M1	PN-EN ISO 6940:2005 6941:2005	Antibacterial Certificate AATCC Oeko-Tex 100	310	PES	290	0,43	5-6	59	1	40	64	1	35	0,44	0,75	1	!	
Apollo Medi Care FR	grey	40797-5108	E				310	PES	290	0,43	5-6	41	2	57	45	3	52	0,39	0,67	1	!	
Apollo Medi Care FR	sand	40797-4899	E				310	PES	290	0,43	5-6	31	4	65	29	7	64	0,36	0,60	1	!	
Apollo Medi Care FR	vanilla	40797-6117	E				310	PES	290	0,43	5-6	9	9	82	16	11	73	0,33	0,56	2	!	
Apollo Medi Care FR	white	40797-4898	E				310	PES	290	0,43	5-6	2	10	88	9	12	79	0,31	0,53	2	!	



antibacterial and antifungal fabric
fabric with anti-fungal and anti-bacterial properties



fabric for projector screens fabric suitable for
projection screens



rigid fabric, min. winding tube diameter 25mm stiff fabric,
minimum tube diameter is 25mm



fabric with a teflon finish
teflon coated fabric



water-resistant fabric
waterproof fabric



delicate fabric, may ripple in larger sizes
fragile fabric, it can drape easily at high areas



wide, stable fabric, ideal for oversized roller blinds
width and stable fabric, dedicated fo XL roller blinds



XL

Apollo Medi Care FR

XL

Apollo BO FR



Aquaperl



Basic BO FR



Cinema Starlet BO FR



New York BO



XL

Panama



Key / Legend:

PES - Poliester (Polyester)
CO - Bawełna (Cotton)
LI - Len (Flax)
GRP - Włókno szklane (Fiberglass)

A_{light} - Light absorption
Light absorptance
 T_{light} - Light transmission
Light transmittance
 R_{light} - Light reflection
Light reflectance

A_{solar} - Heat absorption
Solar absorptance
 T_{solar} - Heat transmission
Solar transmittance
 R_{solar} - Heat reflection
Solar reflectance

G_{tot} - Accumulated energy transmission
Total solar factor
F value - Radiation reduction factor
Shading factor
Class G_{tot} - G factor class $_{tot}$